




Cable pulling systems
Kabeleinziehsysteme
Tire fils
Sonde passacavi
Sondas pasacables

SHORT PROGRAM

RATTLE SNAKE | NYLON

Nylon rod with fixed or interchangeable terminals




Ø FISHTAPE	mm	3	4
LENGTH	m	5 - 30	5 - 30
Ø TUBE	mm	16 - 20	16 - 25
BREAKING LOAD	kg	270	470

TIGER SNAKE | HELICOIDAL FISHTAPE



Polyester helicoidal rod with pressed starting/ending couplings



Triple strain \varnothing 5,8 mm




\varnothing FISHTAPE	mm	3,5	4,5	5,2	5,8
LENGTH	m	5 - 30	10 - 40	10 - 50	10 - 50
\varnothing TUBE	mm	16 - 20	16 - 32	20 - 32	30 - 50
BREAKING LOAD	kg	200	250	350	450

VIPER SNAKE | STRIP STEEL INSIDE



Fishtape made of flat steel insulated with Polypropylene coating with pressed starting/ending couplings



Ø FISHTAPE	mm	4	6	10
LENGTH	m	10 - 50	20 - 80	50 - 100
Ø TUBE	mm	20 - 32	40 - 100	60 - 160
BREAKING LOAD	kg	650	900	2400

GREEN SNAKE | STEEL WIRE INSIDE



**Pulling rod with tempered steel wire core, external PP cover
with pressed starting/ending couplings**



Ø FISHTAPE	mm	4
LENGTH	m	5 - 50
Ø TUBE	mm	20 - 32
BREAKING LOAD	kg	590

COBRA SNAKE | FIBERGLASS INSIDE



Fiberglass rod made by fiberglass core with Polypropylene coating complete with glued starting/ending couplings




Ø FISHTAPE	mm	3	4,5	6	7,5	9	11	15
LENGTH	m	5 - 40	20 - 80	30 - 100	40 - 100	40 - 120	100 - 300	150 - 400
Ø TUBE	mm	16 - 32	30 - 50	30 - 80	50 - 100	60 - 120	80 - 160	180 - 400
BREAKING LOAD	kg	400	1200	2000	3200	4300	6200	14000

COBRA SNAKE | FIBERGLASS INSIDE




Fiberglass rod made by fiberglass core with Polypropylene coating, with central copper insert complete with glued starting/ending couplings



Ø FISHTAPE	mm	3	4,5	6	7,5	9	11	15
LENGTH	m	5 - 40	20 - 80	30 - 100	40 - 100	40 - 120	100 - 300	150 - 400
Ø TUBE	mm	16 - 32	30 - 50	30 - 80	50 - 100	60 - 120	80 - 160	180 - 400
BREAKING LOAD	kg	400	1200	2000	3200	4300	6200	14000


ROD SNAKE | FIBERGLASS INSIDE



Pushing rod made by fiberglass core with a small external PP-cover, available in different sets, diameters and lengths, for any installation without existing cable ducts or pipes



CARBON SET




FIRE SET



SUNNY SET



SEA SET



BOA SNAKE | LUBRICANTS


Lubricants for cable laying



MAMBA SNAKE | *CABLE PULLING GRIPS*



Various cable pulling and suspension grips made of extra-flexible galvanized steel wire rope





RATTLE SNAKE NYLON	
TIGER SNAKE HELICOIDAL FISHTAPE	
VIPER SNAKE STRIP STEEL INSIDE	
GREEN SNAKE STEEL WIRE INSIDE	
COBRA SNAKE FIBERGLASS INSIDE	
ROD SNAKE FIBERGLASS INSIDE	
BOA SNAKE LUBRICANTS	
MAMBA SNAKE CABLE PULLING GRIPS	
ACCESSORIES	

SNASYCOM[®]
SNAKE SYSTEMS COMPANY

Rhomberg's Fabrik, Färbergasse 15, Haus B

6850 Dornbirn, Austria

Tel. +43 5572 201622

www.snasycom.com | info@snasycom.com